

Reusable Containers

For Transportation and Storage of Hazardous Liquids

Our manufactured IBC range features heavy-duty and high-specification products made from steel and polyethylene. The high specification and durability makes these IBCs suitable for use of hazardous liquid applications. Our rotomoulding process for plastics produces thicker, stronger and more chemically-resistant products than traditional processes and therefore provide safe and reliable performance for many years. For lighter-duty, or one-trip applications our LD1000 may provide a more cost-effective solution.



APR

Designed to give the benefits of a heavy-duty liquid container at a lower cost than a framed unit.

A multi-trip IBC for liquids
All-plastic construction with a replaceable pallet base
1000 litre capacity
Colour options for branding or identification
UN Group II approved and FDA approved
Various outlet and top fittings



APL

Designed for liquids where corrosion of a metal frame may be a structural or aesthetic problem.

A multi-trip IBC for liquids
All-plastic construction with a replaceable pallet base
1000 litre capacity
Colour options for branding or identification
UN Group II approved Y1.9 and FDA approved
Various outlet and top fittings



PCM

Designed as a high specification container to discharge liquids at medium pressures without removing it from the vehicle.

A multi-trip IBC for liquids

Designed for pressurised discharging of contents

Mild steel, stainless steel and internally lined options

600, 1000 and 2500 litre options

600 litre and 1000 litre capacity UN Group II approved Y2.6

2500 litre capacity UN Group II approved Y1.9





HGM

Designed for long-term liquids applications where a metal frame is the strongest solution.

Polyethylene liner with galvanised steel mesh cage 1000 and 1200 litre options 1190 x 1190 mm anti-tilt base UN Group II approved Y1.9



HGS

Designed to give the liquid contents increased protection from UV light and physical damage.

A multi-trip IBC for liquids
Polyethylene liner with black top and sheet metal UV shielding
1000 and 1200 litre options
1190 x 1190 mm anti-tilt base
UN Group II approved Y1.9
Various outlet and top fittings



LD 1000

Designed for handling and storing of free-flowing liquids on a short term basis.

A light-duty IBC for liquids
Plastic, metal and wooden pallet material options
1000 litre capacity
Anti-static option
UN Group II approved Y1.4
FDA Approved



CUSTOM DESIGN

Francis Ward offers a bespoke design service for UN-approved containers. Our processes allow existing containers to be adapted and we can offer advice on technical and commercial feasibility. UN performance testing can be carried out on your container.

Please contact us to discuss your needs.

All our UN Approved IBCs feature:

- Four way pallet entry
- Range of colour options
- Product identification plates
- A full range of accessories







coved Certificate: FM 52576



Plastic Drums

Heavy-duty rotomoulded plastic drums specifically designed for multi-trip applications for transport and storage of hazardous liquids. Our rotomoulding process for plastics produces thicker, stronger and more chemically-resistant drums than traditional processes and therefore provide safe and reliable performance for many years. All drum corners are thickened with no moulding seams and the use of multiple handles and other design features allow easy user handling.



WARLORD

Designed for hazardous liquids where a single wall is sufficient and close packing for transport is required.

A multi-trip drum for liquids
20 and 30 litre capacities
20 litre capacity UN Group II Approved Y2.0
30 litre capacity UN Group II Approved Y1.9
UN approved hand tight closure option
UN Group II approved vented closure option
16 colour options for branding or identification



WARLORD - CF

Designed for hazardous liquids where operator exposure to the liquid is eliminated.

A multi-trip drum for liquids
Central sump
Centre fill inlet for closed discharge systems
Tri-sure threadform for customised fittings
25 litre capacity
UN Group II approved Y1.5
16 colour options for branding or identification



WARBOY®

Designed for hazardous liquids for more than five years service or where extra safety is required.

A multi-trip double walled drum for liquids 30 and 45 litre capacities Vented closure option Both capacities UN Group II approved Y1.9 16 colour options for branding or identification Service life of 7 years or more







Francis Ward Limited

Brook House, 221 Bowling Back Lane, Bradford, BD4 8SJ, UK



T: + 44 (0) 1274 707030



F: + 44 (0) 1274 724704



E: sales@francisward.com



W: www.francisward.com